

National Asbestos Exposure Register

Statistics for 1 July 2015 to 30 June 2016

Table A1: Monthly responses by jurisdiction of current residence

Month	Jurisdiction								Total
	ACT	NSW	NT	QLD	SA	TAS	VIC	WA	
2015	141	285	10	90	49	13	91	242	921
July	106	28		20	23	2	6	99	284
August	14	44	1	16	4	4	34	6	123
September	6	28	1	13	4		16	4	72
October	3	46	3	10	3	1	11	11	88
November	7	62		18	8	2	5	21	123
December	5	77	5	13	7	4	19	101	231
2016	51	252	15	55	62	28	108	68	639
January	16	31	3	14	5	1	24	19	113
February	5	18	1	10	9	1	19	10	73
March	5	20	1	9	8	10	10	8	71
April	2	54	1	9	4	5	21	5	101
May	11	82	7	9	18	2	27	15	171
June	12	47	2	4	18	9	7	11	110
Total	192	537	25	145	111	41	199	310	1560
	12.31%	34.42%	1.60%	9.29%	7.12%	2.63%	12.76%	19.87%	
Population	385,996	7,518,472	245,079	4,722,447	1,685,714	514,762	5,841,667	2,573,389	
Proportion of population	1.64%	32.01%	1.04%	20.11%	7.18%	2.19%	24.87%	10.96%	

Figure A1: Monthly responses




Table A2: Gender breakdown by jurisdiction of exposure

Gender of registrant	Jurisdiction of exposure									% Gender
	ACT	NSW	NT	QLD	SA	TAS	VIC	WA	Total	
Female	105	138	4	57	11	9	52	103	479	30.71%
Male	87	398	21	88	100	32	147	207	1080	69.23%
Not specified		1							1	
Total	192	537	25	145	111	41	199	310	1560	
Female	54.69%	25.70%	16.00%	39.31%	9.91%	21.95%	26.13%	33.23%	30.71%	
Male	45.31%	74.12%	84.00%	60.69%	90.09%	78.05%	73.87%	66.77%	69.23%	
Not specified	0.00%	0.19%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.06%	

Table A3: Occupational to non-occupational exposure by gender

Gender	Exposure type			Exposure type		
	Outside workplace	Workplace	Total	Outside workplace	Workplace	Total
Female	307	172	479	64.09%	35.91%	100.00%
Male	250	830	1080	23.15%	76.85%	100.00%
Not specified	1		1	100.00%	0.00%	100.00%
Total	558	1002	1560	35.77%	64.23%	100.00%

Table A4: Age range by gender at 1st exposure

Age range - 1st exposure	Gender			Total	% of age group			% of total	% female total	% male total
	Female	Male	Not specified		Female	Male	Not specified		Female	Male
<20	97	244		341	28.45%	71.55%	0.00%	21.86%	20.25%	22.59%
20–29	101	326	1	428	23.60%	76.17%	0.23%	27.44%	21.09%	30.19%
30–39	103	256		359	28.69%	71.31%	0.00%	23.01%	21.50%	23.70%
40–49	113	142		255	44.31%	55.69%	0.00%	16.35%	23.59%	13.15%
50–59	54	73		127	42.52%	57.48%	0.00%	8.14%	11.27%	6.76%
60+	11	39		50	22.00%	78.00%	0.00%	3.21%	2.30%	3.61%
Total	479	1080	1	1560	30.71%	69.23%				

Table A5: Proportion of workplace exposure to not workplace exposure

Age range	Exposure type		Total	Exposure type	
	Not workplace	Workplace		Outside workplace	Workplace
<20	170	171	341	49.85%	50.15%
20–29	112	316	428	26.17%	73.83%
30–39	134	225	359	37.33%	62.67%
40–49	92	163	255	36.08%	63.92%
50–59	34	93	127	26.77%	73.23%
60+	16	34	50	32.00%	68.00%
Total	558	1002	1560	35.77%	64.23%

Table A6: Location of exposure

Location of exposure	Count	% of total
Environmental/Domestic	30	1.92%
Other	29	1.86%
Residential	374	23.97%
School/Educational	125	8.01%
Work	1002	64.23%
Total	1560	100.00%

Table A7: Exposure by job category

Job category	Total	% total
Asbestos Removal / Disposal	24	3.22%
Boilermaker	16	2.14%
Building / Construction	93	12.47%
Electrician	126	16.89%
Fitter and Machinist	43	5.76%
Mining / Resources Occupations	53	7.10%
Other	358	47.99%
Plumber	33	4.42%
Total	746	100.00%

Table A8: Loose-fill asbestos exposure by jurisdiction of residence at time of exposure

Jurisdiction	Loose-fill exposure type						Total
	Owner – no work done on house	Owner having done DIY on house	Owner having had work done on house	Tenant	Tradesperson worker	Visitor to residence of family friends	
ACT	6	47	39	47	2	11	152
NSW	24	29	24	21	2	9	109
NT				1			1
QLD	6	6	2	4	1		19
SA			2	1			3
TAS		1					1
VIC	2	8		9	1		20
WA	1						1
Total	39	91	67	83	6	20	306

Table A9: Frequency of exposure

Frequency	Location of exposure					
	Environmental/domestic	Other	Residential	School/educational	Work	Total
>5 years	10	10	163	65	273	521
>2 years to 5 years	2	2	52	19	113	188
>6 months to 2 years	1	2	47	16	122	188
0–6 months	15	9	64	16	337	441
Once only	2	6	48	9	157	222
Total	30	29	374	125	1002	1560

Frequency by exposure location

Frequency	Environmental/domestic	Other	Residential	School/educational	Work	Total
>5 years	33.33%	34.48%	43.58%	52.00%	27.25%	33.40%
>2 years to 5 years	6.67%	6.90%	13.90%	15.20%	11.28%	12.05%
>6 months to 2 years	3.33%	6.90%	12.57%	12.80%	12.18%	12.05%
0–6 months	50.00%	31.03%	17.11%	12.80%	33.63%	28.27%
Once only	6.67%	20.69%	12.83%	7.20%	15.67%	14.23%
% of total exposure types	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%

Frequency as % of location

Frequency	Environmental/domestic	Other	Residential	School/educational	Work	Total
>5 years	1.92%	1.92%	31.29%	12.48%	52.40%	33.40%
>2 years to 5 years	1.06%	1.06%	27.66%	10.11%	60.11%	12.05%
>6 months to 2 years	0.53%	1.06%	25.00%	8.51%	64.89%	12.05%
0–6 months	3.40%	2.04%	14.51%	3.63%	76.42%	28.27%
Once only	0.90%	2.70%	21.62%	4.05%	70.72%	14.23%
% of total exposure types	1.92%	1.86%	23.97%	8.01%	64.23%	100.00%

Table A10: Means of finding out about NAER

Means of finding out	Jurisdiction								Total	% total
	ACT	NSW	NT	QLD	SA	TAS	VIC	WA		
ASEA website		9		5	1	1	7	4	27	1.73%
Employer	6	152	7	36	54	18	65	108	446	28.59%
Friends/family	32	121	4	31	16	5	41	35	285	18.27%
Internet search	17	45	3	22	6	5	12	22	132	8.46%
Local council	3	4	1	4			2		14	0.90%
Medical practitioner	1	17		4	4	2	5	1	34	2.18%
Newspaper/television report	17	24	1	7	1		10	4	64	4.10%
Other	35	93	7	40	19	6	41	20	261	16.73%
Pamphlet/leaflet	2	5		2	1	1	1	1	13	0.83%
State/territory regulator	33	20	3	13	3	1	10	3	86	5.51%
Training course	2	5		2		4	2	1	16	1.03%
Union	1	39		11	3	1	16	111	182	11.67%
Total	149	534	26	177	108	44	212	310	1560	100.00%

Table A11: Proportion of workplace to non-workplace disease diagnoses

Disease type	Not workplace	Workplace	Total
Asbestosis		17	17
Cancer	1	2	3
Mesothelioma	2	1	3
Pleural plaques	2	20	22
Unknown		2	2
Total	5	42	47
	10.64%	89.36%	